

CONTRACTORS FLOORS

# Homy



MARAZZI

# Homy

With its rich texture of knots and natural patterns, the new Homy porcelain stoneware is reminiscent of the finest woods. 6 colours: White, Natural, Beige, Dark, Taupe and Grey give the collection versatility, enabling you to create warm atmospheres and elegant interiors. Produced in the 15.5x60.5 cm size and also available in the Grip version in the colours Natural and Beige, Homy is suitable for various installation solutions in both residential and light retail contexts.





# Homy Index

# Homy

- Porcelain Stoneware



## Beige

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
15,5x60,5cm	Natural	M9QT	Homy Beige	MM 7,5		Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1				G	V2	12	1,13	22,80	48	54,02	1.094,35
15,5x60,5cm	Grip	MAYJ	Homy Beige Grip	MM 7,5		Frost proof, Resistance deep abrasion	Floor & Wall		R11B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V2	12	1,13	22,80	48	54,02	1.094,35



## Dark

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
15,5x60,5cm	Natural	M9QU	Homy Dark	MM 7,5		Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1				G	V2	12	1,13	22,80	48	54,02	1.094,35




## Grey

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
15,5x60,5cm	Natural	MAYF	Homy Grey	MM 7,5		Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1				G	V2	12	1,13	22,80	48	54,02	1.094,35




## Natural

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
15,5x60,5cm	Natural	M9QS	Homy Natural	MM 7,5		Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1				H	V2	12	1,13	22,80	48	54,02	1.094,35
15,5x60,5cm	Grip	MAYH	Homy Natural Grip	MM 7,5		Frost proof, Resistance deep abrasion	Floor & Wall		R11B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V2	12	1,13	22,80	48	54,02	1.094,35



## Taupe

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
15,5x60,5cm	Natural	M9QV	Homy Taupe	MM 7,5		Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1				G	V2	12	1,13	22,80	48	54,02	1.094,35



## White

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
15,5x60,5cm	Natural	M9QR	Homy White	MM 7,5		Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1				H	V2	12	1,13	22,80	48	54,02	1.094,35

# Legenda

## Destinazioni d'uso

**D**  
Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.

**E**  
Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.

**F**  
Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.

**G**  
Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.

**H**  
Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.

## Variazioni cromatiche

**V0**  
Monochromatic - V0: tiles of the same shade are very uniform, in just one colour

**V1**  
Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run

**V2**  
Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run

**V3**  
Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material

**V4**  
Substantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material

# Certificazioni



LEED Credits



Declare



HPD



CE 001MRZI



UKCA  
001MRZUK



SASO

© Copyright by Marazzi Group S.r.l., 2023.  
All rights reserved, Marazzi Group Srl a Socio Unico  
Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy  
T +39 0536 860800 F +39 0536 860644  
info@marazzi.it www.marazzi.it

La riproduzione dei colori è approssimativa. Le tabelle con i dati riferiti ai contenuti per scatole ed ai pesi degli imballi sono aggiornate al momento della stampa del catalogo, pertanto i dati elencati possono subire variazioni.

Marazzi Group ha la facoltà esclusiva di modificare e sostituire, anche solo parzialmente i componenti dei sistemi illustrati in questo folder, senza l'obbligo di darne preavviso.



**MARAZZI**