

SistemT - Graniti



MARAZZI



SistemT - Graniti


Graniti by Marazzi is a hi-tech porcelain tile collection characterized by surface micro-granules. Available in a variety of sizes and colours, an increased tile thicknesses and range of surface finishes lend the Ecolabel-certified Graniti collection its anti-slip characteristics and exceptional resistance to wear and tear, thus making it ideal for wall and floor installations in industrial, business and outdoor environments. Part of the Marazzi high-performance porcelain tile SistemT project, Graniti is coordinable with Cromie and Kaleidos, the other SistemT collections, and also with the SistemA coloured porcelain tile project.



SistemT - Graniti Index


SistemT - Graniti

- Colorbody Fine Porcelain Stoneware



Grigio Chiaro_GR

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
20x20cm	Natural	M642	Grigio Chiaro_gr 14mm 20x20	MM 14		Frost proof, Resistance deep abrasion	Floor	High Performance	R9A	> 0.40	Class 1	36+ Slider 96			H	V1	17	0,68	22,04	54	36,72	1.190,28
20x20cm	Structured Surface	M65A	Grigio Chiaro_gr Ant. R11 14mm 20x20	MM 14		Frost proof, Resistance deep abrasion	Floor	High Performance	R11		Class 3	36+ Slider 96			H	V1	17	0,68	21,01	54	36,72	1.134,38
20x20cm	Structured Surface	M65F	Grigio Chiaro_gr Diamond 14mm 20x20	MM 14		Frost proof, Resistance deep abrasion	Floor	High Performance	R12C	> 0.40	Class 3	36+ Slider 96			H	V1	17	0,68	20,86	54	36,72	1.126,38
20x20cm	Structured Surface	MEC2	Grigio Ch_gr Diamond 20x20	MM 08		Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R12C	> 0.40	Class 3	36+ Slider 96			H	V1	30	1,20	20,47	54	64,80	1.105,24
20x20cm	Structured Surface	MHX0	Grigio Chiaro_gr Diamond 12mm 20x20	MM 12		Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R12C	> 0.40	Class 3	36+ Slider 96			H	V1	20	0,80	20,66	54	43,20	1.115,41
30x30cm	Structured Surface	MHXC	Grigio Chiaro_gr Ant. R11 30x30	MM 8,5		Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R11		Class 3	36+ Slider 96			H	V1	15	1,35	25,62	40	54,00	1.024,67
30x30cm	Natural	MHXG	Grigio Chiaro_gr 13mm 30x30	MM 13		Frost proof, Resistance deep abrasion	Floor	High Performance	R9A	> 0.40	Class 1				H	V1	10	0,90	26,24	40	36,00	1.049,56
20x20cm	Structured Surface	MKL8	Grigio Chiaro_gr R11 12mm 20x20	MM 12		Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R11		Class 3	36+ Slider 96			H	V1	20	0,80	20,79	54	43,20	1.122,66
30x30cm	Structured Surface	MRTC	Grigio Chiaro_gr 30x30	MM 8,5		Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R9A	> 0.40	Class 1				H	V1	15	1,35	25,77	40	54,00	1.030,93
20x20cm	Natural	MRU2	Grigio Chiaro_gr 20x20	MM 08		Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R9A	> 0.40	Class 1	36+ Slider 96			H	V1	30	1,20	21,49	54	64,80	1.160,46
30x30cm	Structured Surface	MRV3	Grigio Chiaro_gr Rock 30x30	MM 8,5		Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R12B	> 0.40	Class 3	36+ Slider 96			H	V1	15	1,35	25,21	40	54,00	1.008,22
20x20cm	Structured Surface	MRV9	Grigio Chiaro_gr Rk 20x20	MM 08		Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R12B	> 0.40	Class 3	36+ Slider 96			H	V1	30	1,20	20,77	54	64,80	1.121,69
20x20cm	Natural	MRVH	Grigio Chiaro_gr 12mm 20x20	MM 12		Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R9A	> 0.40	Class 1	36+ Slider 96			H	V1	20	0,80	21,16	54	43,20	1.142,55



Grigio Medio_Gr

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
30x30cm	Structured Surface	M7J0	Grigio Medio Rock 30x30	MM 8,5		Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R12B	> 0.40	Class 3	36+ Slider 96			H	V1	15	1,35	25,53	40	54,00	1.021,37
30x30cm	Structured Surface	M7J2	Grigio Medio_gr Antislip R11 30x30	MM 8,5		Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R11		Class 3	36+ Slider 96			H	V1	15	1,35	25,85	40	54,00	1.034,09
30x30cm	Structured Surface	M7JR	Grigio Medio_gr 30x30	MM 8,5		Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R9A	> 0.40	Class 1				H	V1	15	1,35	25,89	40	54,00	1.035,47
20x20cm	Structured Surface	M7K1	Grigio Medio Rock_gr 20x20	MM 08		Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R12B	> 0.40	Class 3	36+ Slider 96			H	V1	30	1,20	20,51	54	64,80	1.107,69
20x20cm	Structured Surface	M7K5	Grigio Md_gr Diamond 20x20	MM 08		Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R12C	> 0.40	Class 3	36+ Slider 96			H	V1	30	1,20	20,13	54	64,80	1.087,07
20x20cm	Natural	M7K7	Grigio Medio_gr 12mm 20x20	MM 12		Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R9A	> 0.40	Class 1	36+ Slider 96			H	V1	20	0,80	21,56	54	43,20	1.164,11
20x20cm	Natural	M7K9	Grigio Medio_gr 14mm 20x20	MM 14		Frost proof, Resistance deep abrasion	Floor	High Performance	R9A	> 0.40	Class 1	36+ Slider 96			H	V1	17	0,68	22,04	54	36,72	1.190,28
20x20cm	Natural	M7KZ	Grigio Medio_gr 20x20	MM 08		Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R9A	> 0.40	Class 1	36+ Slider 96			H	V1	30	1,20	21,25	54	64,80	1.147,31
20x20cm	Structured Surface	M7LC	Grigio Medio_gr R11 12mm 20x20	MM 12		Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R11		Class 3	36+ Slider 96			H	V1	20	0,80	21,39	54	43,20	1.155,08
20x20cm	Structured Surface	M7LE	Grigio Medio_gr Ant.r11 14mm 20x20	MM 14		Frost proof, Resistance deep abrasion	Floor	High Performance	R11		Class 3	36+ Slider 96			H	V1	17	0,68	21,15	54	36,72	1.142,15
20x20cm	Structured Surface	M7LL	Grigio Medio_gr Diamond 12mm 20x20	MM 12		Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R12C	> 0.40	Class 3	36+ Slider 96			H	V1	20	0,80	20,83	54	43,20	1.125,00
20x20cm	Structured Surface	M7LN	Grigio Medio_gr Diam.14 20x20	MM 14		Frost proof, Resistance deep abrasion	Floor	High Performance	R12C	> 0.40	Class 3	36+ Slider 96			H	V1	17	0,68	20,81	54	36,72	1.123,97

Grigio Scuro_GR

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
30x30cm	Structured Surface	M7J1	Grigio Scuro_gr Antislip R11 30x30	MM 8,5		Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R11		Class 3	36+ Slider 96			H	V1	15	1,35	25,74	40	54,00	1.029,55
30x30cm	Structured Surface	M7JZ	Grigio Scuro Rock 30x30	MM 8,5		Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R12B	> 0.40	Class 3	36+ Slider 96			H	V1	15	1,35	24,62	40	54,00	984,86
20x20cm	Structured Surface	M7K0	Grigio Scuro Rock_gr 20x20	MM 08		Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R12B	> 0.40	Class 3	36+ Slider 96			H	V1	30	1,20	20,48	54	64,80	1.105,80
20x20cm	Structured Surface	M7K4	Grigio Sc. gr Diamond 20x20	MM 08		Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R12C	> 0.40	Class 3	36+ Slider 96			H	V1	30	1,20	21,42	54	64,80	1.156,73
20x20cm	Natural	M7K6	Grigio Scuro_gr 12mm 20x20	MM 12		Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R9A	> 0.40	Class 1	36+ Slider 96			H	V1	20	0,80	21,50	54	43,20	1.160,98
20x20cm	Natural	M7K8	Grigio Scuro_gr 14mm 20x20	MM 14		Frost proof, Resistance deep abrasion	Floor	High Performance	R9A	> 0.40	Class 1	36+ Slider 96			H	V1	17	0,68	21,48	54	36,72	1.160,19
20x20cm	Structured Surface	M7LA	Grigio Scuro_gr R11 12mm 20x20	MM 12		Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R11		Class 3	36+ Slider 96			H	V1	20	0,80	21,33	54	43,20	1.152,00
20x20cm	Structured Surface	M7LD	Grigio Scuro_gr Ant.r11 14mm 20x20	MM 14		Frost proof, Resistance deep abrasion	Floor	High Performance	R11		Class 3	36+ Slider 96			H	V1	17	0,68	21,48	54	36,72	1.160,19
20x20cm	Structured Surface	M7LK	Grigio Scuro_gr Diamont 12mm 20x20	MM 12		Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R12C	> 0.40	Class 3	36+ Slider 96			H	V1	20	0,80	21,18	54	43,20	1.143,76
20x20cm	Structured Surface	M7LM	Grigio Scuro_gr Diam.14 20x20	MM 14		Frost proof, Resistance deep abrasion	Floor	High Performance	R12C	> 0.40	Class 3	36+ Slider 96			H	V1	17	0,68	21,68	54	36,72	1.170,55
30x30cm	Structured Surface	MRTE	Grigio Scuro_gr 30x30	MM 8,5		Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R9A	> 0.40	Class 1				H	V1	15	1,35	25,46	40	54,00	1.018,48
20x20cm	Natural	MRU4	Grigio Scuro_gr 20x20	MM 08		Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R9A	> 0.40	Class 1	36+ Slider 96			H	V1	30	1,20	21,17	54	64,80	1.143,06

Panna_GR

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
30x30cm	Structured Surface	M1W7	Panna_gr Rock 30x30	MM 8,5		Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R12B	> 0.40	Class 3	36+ Slider 96			H	V1	15	1,35	26,65	40	54,00	1.065,93
20x20cm	Structured Surface	M1W9	Panna_gr Rk 20x20	MM 08		Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R12B	> 0.40	Class 3	36+ Slider 96			H	V1	30	1,20	20,35	54	64,80	1.098,86
20x20cm	Natural	M643	Panna_gr 14mm 20x20	MM 14		Frost proof, Resistance deep abrasion	Floor	High Performance	R9A	> 0.40	Class 1	36+ Slider 96			H	V1	17	0,68	21,39	54	36,72	1.155,08
20x20cm	Structured Surface	M65C	Panna_gr Ant.r11 Mag.14 20x20	MM 14		Frost proof, Resistance deep abrasion	Floor	High Performance	R11		Class 3	36+ Slider 96			H	V1	17	0,68	21,20	54	36,72	1.144,64
20x20cm	Structured Surface	M65G	Panna_gr Diamond 14mm 20x20	MM 14		Frost proof, Resistance deep abrasion	Floor	High Performance	R12C	> 0.40	Class 3	36+ Slider 96			H	V1	17	0,68	20,99	54	36,72	1.133,68
20x20cm	Structured Surface	MDTP	Panna_gr Diamond 20x20	MM 08		Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R12C	> 0.40	Class 3	36+ Slider 96			H	V1	30	1,20	20,76	54	64,80	1.121,11
20x20cm	Structured Surface	MHX1	Panna_gr Diamond 12mm 20x20	MM 12		Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R12C	> 0.40	Class 3	36+ Slider 96			H	V1	20	0,80	21,12	54	43,20	1.140,44
30x30cm	Structured Surface	MHXD	Panna_gr Antislip R11 30x30	MM 8,5		Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R11		Class 3	36+ Slider 96			H	V1	15	1,35	26,11	40	54,00	1.044,49
30x30cm	Natural	MHXH	Panna_gr 13mm	MM 13		Frost proof, Resistance deep abrasion	Floor	High Performance	R9A	> 0.40	Class 1				H	V1	10	0,90	25,26	40	36,00	1.010,38
20x20cm	Structured Surface	MKL9	Panna_gr R11 12mm 20x20	MM 12		Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R11		Class 3	36+ Slider 96			H	V1	20	0,80	21,18	54	43,20	1.143,76
30x30cm	Structured Surface	MRTJ	Panna_gr 30x30	MM 8,5		Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R9A	> 0.40	Class 1				H	V1	15	1,35	26,02	40	54,00	1.040,66
20x20cm	Natural	MRU8	Panna_gr 20x20	MM 08		Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R9A	> 0.40	Class 1	36+ Slider 96			H	V1	30	1,20	22,32	54	64,80	1.205,36
20x20cm	Natural	MRS0	Panna_gr 12mm 20x20	MM 12		Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R9A	> 0.40	Class 1	36+ Slider 96			H	V1	20	0,80	21,16	54	43,20	1.142,55

Sabbia_Gr

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
30x30cm	Structured Surface	MHXA	Sabbia_gr Ant. R11 30x30	MM 8,5		Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R11		Class 3	36+ Slider 96			H	V1	15	1,35	26,09	40	54,00	1.043,68
20x20cm	Structured Surface	MHXM	Sabbia_gr Diamond 20x20	MM 08		Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R12C > 0.40		Class 3	36+ Slider 96			H	V1	30	1,20	20,61	54	64,80	1.112,83
30x30cm	Structured Surface	MRT5	Sabbia_gr 30x30	MM 8,5		Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R9A > 0.40		Class 1				H	V1	15	1,35	25,74	40	54,00	1.029,55
20x20cm	Natural	MRTW	Sabbia_gr 20x20	MM 08		Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R9A > 0.40		Class 1	36+ Slider 96			H	V1	30	1,20	21,18	54	64,80	1.143,46
30x30cm	Structured Surface	MRV0	Sabbia_gr Rock 30x30	MM 8,5		Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R12B > 0.40		Class 3	36+ Slider 96			H	V1	15	1,35	24,67	40	54,00	986,66
20x20cm	Structured Surface	MRV6	Sabbia_gr Rk 20x20	MM 08		Frost proof, Resistance deep abrasion	Floor & Wall	High Performance	R12B > 0.40		Class 3	36+ Slider 96			H	V1	30	1,20	20,31	54	64,80	1.097,00

Legenda

Destinazioni d'uso

D
Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.

E
Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.

F
Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.

G
Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.

H
Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.

Variazioni cromatiche

V0
Monochromatic - V0: tiles of the same shade are very uniform, in just one colour

V1
Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run

V2
Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run

V3
Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material

V4
Substantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material

Certificazioni



ISO 14001



Greenguard Certification



CAM Sassuolo



ISO 9001



LEED Credits



CCC



Green Building Council



QBUPEC



CE 001MRZI



GPP



FDES



CE 009MRZI



EPD Italy



Declare



UKCA 001MRZUK



ISO 17889-1



HPD



UKCA 009MRZUK

© Copyright by Marazzi Group S.r.l., 2023.
All rights reserved, Marazzi Group Srl a Socio Unico
Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy
T +39 0536 860800 F +39 0536 860644
info@marazzi.it www.marazzi.it

La riproduzione dei colori è approssimativa. Le tabelle con i dati riferiti ai contenuti per scatole ed ai pesi degli imballi sono aggiornate al momento della stampa del catalogo, pertanto i dati elencati possono subire variazioni.

Marazzi Group ha la facoltà esclusiva di modificare e sostituire, anche solo parzialmente i componenti dei sistemi illustrati in questo folder, senza l'obbligo di darne preavviso.



MARAZZI